



Orting Valley Fire and Rescue

Pierce County Fire District 18
P.O. Box 386 Orting, WA 98360
Phone: (360) 893-2221 Fax: (360) 893-8524

Resolution 2019-002

A RESOLUTION BY THE BOARD OF FIRE COMMISSIONERS OF PIERCE COUNTY FIRE PROTECTION DISTRICT NO. 18. SURPLUSING UNSERVICEABLE EQUIPMENT.

WHEREAS, the Pierce County Fire District 18 Board of Fire Commissioners has declared the following items surplus to the needs of the department, and

WHEREAS, it is believed that due to the lack of value and functional obsolescence, warrants the surplus of this equipment to departments and/or organizations who have expressed the need for such equipment or disposal of this equipment.

NOW, THEREFORE BE IT HEREBY RESOLVED, BY THE BOARD OF FIRE COMMISSIONERS OF PIERCE COUNTY FIRE PROTECTION DISTRICT NO. 18 AS FOLLOWS:

The equipment listed on the attached Form(s) 6003.1 dated January 8, 2018 is hereby declared surplus to the needs of the district and authorized for surplus.

Adopted this 5th day of February 2019.


Shawn Mahoney-Commission Chair


Margaret O'Harra Buttz-Commission Vice Chair


Arlene Dannat-Commissioner


Tom Marino-Commissioner


Kevin Gorder-Commissioner


Kimberly Kemp-District Secretary



Equipment Surplus Form 6003.1

Instructions: Fire District property and equipment must be determined to be surplus by the Fire Chief or designee. Items to be considered for surplus should be submitted in writing using Form 6003.1 through the chain of command to the Fire Chief or designee, and submitted to the Board of Commissioners for approval by resolution at an open public meeting. When surplus, obsolete, or unused material, property or equipment is identified submit Form 6003.1 to the Fire Chief or designee which declares the property or equipment surplus, with a brief description, including model/serial numbers, fixed asset numbers, quantity, estimated value and recommended disposition when applicable.

Member Requesting Surplus: William Hash _____ Date: 1/8/19 _____

List of Recommended Surplus Equipment:

ITEM DESCRIPTION	MODEL #	SERIAL #	FIXED ASSET #	QUANTITY	ESTIMATED VALUE	RECOMMENDED DISPOSITION
Curl machine	Unknown	Unknown	0046	1	0	Dispose or free
Robot fire engine	Unknown	N/A	None	1	0	Dispose or free
Stryker MX Pro Ambulance Gurney	6082	080239137	Unknown	1	1500	Sell
Apex Pull-up Dip machine	MD 2100	Unknown	0049	1	0	Dispose or free
Stryker MX Pro Gurney mounting system	Unknown	N/A	Unknown	1 Set	200	Sell