



# Orting Valley Fire & Rescue

Pierce County Fire District 18  
P.O. Box 386 Orting, WA 98360  
Phone: (360) 893-2221 Fax: (360) 893-8524

## Resolution 2022-003

**A RESOLUTION BY THE BOARD OF FIRE COMMISSIONERS OF PIERCE COUNTY FIRE PROTECTION DISTRICT NO. 18. SURPLUSING EQUIPMENT NO LONGER USED AND/OR NEEDED.**

**WHEREAS**, the Pierce County Fire District 18 Board of Fire Commissioners has declared the following items surplus to the needs of the department, and;

**WHEREAS**, it is believed that due to the lack of need and use, warrants the surplus of this equipment to departments and/or organizations who have expressed the need for such equipment.


**NOW, THEREFORE BE IT HEREBY RESOLVED**, BY THE BOARD OF FIRE COMMISSIONERS OF PIERCE COUNTY FIRE PROTECTION DISTRICT NO. 18 AS FOLLOWS:

The equipment listed on the attached Form(s) 6003.1 dated March 22, 2022 is hereby declared surplus to the needs of the district and authorized for surplus.

Adopted this 22<sup>nd</sup> day of March 2022.


  
\_\_\_\_\_  
Commission Chair Jason Bellerive

  
\_\_\_\_\_  
Commission Vice Chair Kevin Gorder

  
\_\_\_\_\_  
Commissioner Arlene Dannat

\_\_\_\_\_  
Commissioner Joe Palombi

  
\_\_\_\_\_  
Commissioner Margaret O'Harra Buttz

  
\_\_\_\_\_  
District Secretary Kimberly Kemp



### **Equipment Surplus Form**

Instructions: Fire District property and equipment must be determined to be surplus by the Fire Chief or designee. Items to be considered for surplus should be submitted in writing using Form 6003.1 through the chain of command to the Fire Chief or designee, and submitted to the Board of Commissioners for approval by resolution at an open public meeting. When surplus, obsolete, or unused material, property or equipment is identified submit Form 6003.1 to the Fire Chief or designee which declares the property or equipment surplus, with a brief description, including model/serial numbers, fixed asset numbers, quantity, estimated value and recommended disposition when applicable.

Member Requesting Surplus: Chief Gibson     Date: March 22, 2022

List of Recommended Surplus Equipment:

ITEM DESCRIPTION	MODEL	SERIAL/VIN #	QUANTITY	ESTIMATED VALUE	RECOMMENDED DISPOSITION
Medic Unit	Ford	1FDXE45P28DB5503	1	\$35k-\$40k	Sell to another fire department